

Bibliography

- [AC99] J. K. Aggarwal and Q. Cai. Human motion analysis: A review. *Computer Vision and Image Understanding*, 73(3):428–440, 1999.
- [ACH⁺95] R. Alur, C. Courcoubetis, N. Halbwachs, T.A. Henzinger, P.-H. Ho, X. Nicollin, A. Olivero, J. Sifakis, and S. Yovine. The algorithmic analysis of hybrid systems. *Theoretical Computer Science*, 138(1):3–34, 1995.
- [AIYK00] K. Aihara, T. Ikeguchi, T. Yamada, and M. Komuro. *Fundamentals and Applications of Chaotic Time Series Analysis*. Sangyo Tosho, 2000.
- [Alb72] A. Albert. *Regression and The Moore-Penrose Pseudoinverse*. Academic Press, 1972.
- [All83] J. F. Allen. Maintaining knowledge about temporal interval. *Commun. of the ACM*, 26(11):832–843, 1983.
- [All84] J. F. Allen. Towards a general theory of action and time. *Artificial Intelligence*, 23:123–154, 1984.
- [AM79] B. D. O. Anderson and J. B. Moor. *Optimal Filtering*. Prentice-Hall, 1979.
- [Bas78] J. N. Bassili. Facial motion in the perception of faces and of emotional expression. *Journal of Experimental Psychology: Human Perception and Performance*, 4(3):373–379, 1978.
- [BCMS01] A. Bissacco, A. Chiuso, Y. Ma, and S. Soatto. Recognition of human gaits. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 52–57, 2001.

-
- [BD97] A. F. Bobick and J. W. Davis. The recognition of human movements using temporal templates. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 23(3):257–267, 1997.
- [BHJT04] H. Balakrishnan, I. Hwang, J. S. Jang, and C. J. Tomlin. Inference methods for autonomous stochastic linear hybrid systems. *Hybrid Systems: Computation and Control*, pages 64–79, 2004.
- [BIR00] B. N. A. Blake, M. Isard, and J. Rittscher. Learning and classification of complex dynamics. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 22(9):1016–1034, 2000.
- [BO97] M. Brand and N. Oliver. Coupled hidden Markov models for complex action recognition. *MIT Media Lab Vision and Modeling TR407*, 1997.
- [BOP97] M. Brand, N. Oliver, and A. Pentland. Coupled hidden Markov models for complex action recognition. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 994–999, 1997.
- [BPV04] H. H. Bui, D. Q. Phung, and S. Venkatesh. Hierarchical hidden Markov models with general state hierarchy. *Proc. National Conference on Artificial Intelligence*, pages 324–329, 2004.
- [Bra95] T. Brants. Estimating HMM topologies. *Logic and Computation*, 1995.
- [Bra99] M. Brand. Voice puppetry. *Proc. SIGGRAPH*, pages 21–28, 1999.
- [Bre97] C. Bregler. Learning and recognizing human dynamics in video sequences. *Proc. Int. Conference on Computer Vision and Pattern Recognition*, pages 568–574, 1997.
- [Bro86] R. A. Brooks. A robust layered control system for a mobile robot. *IEEE Journal of Robotics and Automation*, RA-2(1):14–23, 1986.
- [Bro91] R. A. Brooks. Intelligence without reason. *Artificial Intelligence*, 47:139–159, 1991.
- [Bur98] C. J. C. Burges. A tutorial on support vector machines for pattern recognition. *Knowledge Discovery and Data Mining*, 2(2):121–167, 1998.

- [BW97] A. F. Bobick and A. D. Wilson. A state-based approach to the representation and recognition of gesture. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 19(12):1325–1337, 1997.
- [CET98] T. F. Cootes, G. J. Edwards, and C. J. Taylor. Active appearance model. *Proc. European Conference on Computer Vision*, pages 484–498, 1998.
- [CR98] T. Chen and R. R. Rao. Audio-visual integration in multimodal communication. *Proceedings of the IEEE*, pages 837–852, 1998.
- [CRTW05] S. Collins, A. Ruina, R. Tedrake, and M. Wisse. Efficient bipedal robots based on passive-dynamic walkers. *Science*, 307:1082–1085, 2005.
- [CS94] C. Cedras and Mubarak Shah. A survey of motion analysis from moving light displays. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 214–221, 1994.
- [DAJ95] A. A. Desrochers and R. Y. Al-Jaar. *Application of Petri nets in Manufacturing Systems: Modeling, Control, and Performance Analysis*. IEEE Press, 1995.
- [DBCS04] R. Dhillon, S. Bhagat, H. Carvey, and E. Shriberg. Meeting recorder project: Dialog act labeling guide. *ICSI Technical Report TR-04-002*, 2004.
- [DCWS03] G. Doretto, A. Chiuso, Y. N. Wu, and S. Soatto. Dynamic textures. *Int. Journal of Computer Vision*, 51(2):91–109, 2003.
- [DD05] F. Dornaika and F. Davoine. Simultaneous facial action tracking and expression recognition using a particle filter. *Proc. IEEE Int. Conference on Computer Vision*, pages 1733–1738, 2005.
- [dFNG98] J. F. G. de Freitas, M. Niranjan, and A. H. Gee. The EM algorithm and neural networks for nonlinear state space estimation. *Cambridge University Engineering Department Technical Report CUED/F-INFENG/TR313*, 1998.
- [DHS00] R. O. Duda, P. E. Hart, and D. G. Stork. *Pattern Classification*. Wiley-Interscience, 2000.

-
- [DLR77] A. P. Dempster, N. M. Laird, and D. B. Rubin. Maximum likelihood from incomplete data via the EM algorithm. *J. R. Statist. Soc. B*, 39:1–38, 1977.
- [Dor96] G. Dorffner. Neural networks for time series processing. *Neural Network World*, 6(4):447–468, 1996.
- [DP93] T. Darrell and A. Pentland. Space-time gestures. *Proc. IJCAI'93 Looking at People Workshop*, 1993.
- [Ecc89] J. C. Eccles. *Evolution of the Brain: Creation of the Self*. Routledge, 1989.
- [EF75] P. Ekman and W. V. Friesen. *Unmasking the Face*. Prentice Hall, 1975.
- [EP97] I. A. Essa and A. P. Pentland. Coding, analysis, interpretation, and recognition of facial expressions. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 19(7):757–763, 1997.
- [FFK05] S. Fujie, K. Fukushima, and T. Kobayashi. Back-channel feedback generation using linguistic and nonlinguistic information and its application to spoken dialogue system. *Proc. EUROSPEECH*, pages 889–892, 2005.
- [FH88] R. Futami and N. Hoshimiya. A neural sequence identification network (ansin) model. *IEICE, J71-D-II(10)*:2181–2190, 1988.
- [FMLM03] G. Ferrari, M. Muselli, D. Liberati, and M. Morari. A clustering technique for the identification of piecewise affine systems. *Automatica*, 39:205–217, 2003.
- [FSKN04] W. Fujisaki, S. Shimojo, M. Kashino, and S. Nishida. Recalibration of audiovisual simultaneity. *Nature Neuroscience*, 7(7):773–778, 2004.
- [Gav99] D. M. Gavrila. The visual analysis of human movement: A survey. *Computer Vision and Image Understanding*, 73(1):82–98, 1999.
- [GH96] Z. Ghahramani and G. E. Hinton. Switching state-space models. *Dept. of Computer Science*, 1996.

- [GJH01] A. Galata, N. Johnson, and D. Hogg. Learning variable-length Markov models of behavior. *Computer Vision and Image Understanding*, 81(3):398–413, 2001.
- [GL95] J. J. Gross and R. W. Levenson. Emotion elicitation using films. *Cognition and Emotion*, 9:89–108, 1995.
- [GR99] Z. Ghahramani and S. Roweis. Learning nonlinear dynamical systems using an EM algorithm. *Advances in Neural Information Processing Systems*, 11:599–605, 1999.
- [GV89] A. Gollu and P. Varaiya. Hybrid dynamical systems. *Proc. Conference on Decision and Control*, pages 2708–2712, 1989.
- [HAJ90] H. D. Huang, Y. Ariki, and M. A. Jack. *Hidden Markov Models for Speech Recognition*. Edinburgh Univ., 1990.
- [HTF01] T. Hastie, R. Tibshirani, and J. Friedman. *The elements of statistical learning: data mining, inference, and prediction*. Wiley-Interscience, 2001.
- [HWK01] M. Haruno, D. M. Wolpert, and M. Kawato. Mosaic model for sensorimotor learning and control. *neural computation*. *Neural Computation*, 13:2201–2220, 2001.
- [IB98] M. Isard and A. Blake. Condensation – conditional density propagation for visual tracking. *Int. Journal of Computer Vision*, 29(1):5–28, 1998.
- [IB00] Y. A. Ivanov and A. F. Bobick. Recognition of visual activities and interactions by stochastic parsing. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 22(8):852–872, 2000.
- [Iri03] M. Iri. *General Linear Algebra*. Iwanami, 2003.
- [IS94] A. Ichikawa and S. Sato. Roles of prosodies in dialogue. *IPSJ SIG-SLP (Japanese)*, pages 51–58, 1994.
- [Joh73] G. Johansson. Visual perception of biological motion and a model for its analysis. *Perception and Psychophysics*, 14(2):201–211, 1973.

-
- [JR85] B. H. Juang and L. R. Rabiner. A probabilistic distance measure for hidden Markov models. *AT & T Technical Journal*, 64(2):391–408, 1985.
- [JSFC98] D. Jurafsky, E. Shriberg, B. Fox, and T. Curl. Lexical, prosodic, and syntactic cues for dialog acts. *Proc. ACL/COLING-98: Workshop on Discourse Relations and Discourse Markers*, pages 114–120, 1998.
- [KBM⁺01] M. Kamachi, V. Bruce, S. Mukaida, J. Gyoba, S. Yoshikawa, and S. Akamatsu. Dynamic properties influence the perception of facial expressions. *Perception*, 30:875–887, 2001.
- [KCB95] J. Kosecka, H. I. Christensen, and R. Bajcsy. Discrete event modeling of visually guided behaviors. *International Journal of Computer Vision*, 14(2):179–191, 1995.
- [KHS⁺04] J.-H. Kim, S. Hayakawa, T. Suzuki, K. Hayashi, S. Okuma, N. Tsuchida, M. Shimizu., and S. Kido. Modeling of driver’s collision avoidance behavior based on piecewise linear model. *Proc. IEEE Int. Conference on Decision and Control*, pages 2310–2315, 2004.
- [KK05] E. Krumhube and A. Kapps. Moving smiles: The role of dynamic components for the perception of the genuineness of smiles. *Journal of Nonverbal Behavior*, 29(1):3–24, 2005.
- [Koh89] T. Kohonen. *Self-Organization and Associative Memory*. Springer-Verlag Berlin Heidelberg, 1989.
- [KOT⁺04] Y. Kuniyoshi, Y. Ohmura, K. Terada, A. Nagakubo, S. Eitoku, and T. Yamamoto. Embodied basis of invariant features in execution and perception of whole body dynamic actions — knacks and focuses of roll-and-rise motion. *Robotics and Autonomous Systems*, pages 189–201, 2004.
- [KP98] E. J. Keogh and M. J. Pazzani. An enhanced representation of time series which allows fast and accurate classification, clustering and relevance feedback. *Fourth Int. Conference on Knowledge Discovery and Data Mining*, pages 239–241, 1998.
- [KS86] R. Kowalski and M. Sergot. A logic-based calculus of events. *New Generation Computing*, 4(1):67–95, 1986.

- [KTNN05] N. Kitaoka, M. Takeuchi, R. Nishimura, and S. Nakagawa. Response timing detection using prosodic and linguistic information for human-friendly spoken dialog. *Journal of The Japanese Society for Artificial Intelligence*, 20(3 SP-E):220–228, 2005.
- [KYHH05] S. Kajita, K. Yokoi, H. Hirukawa, and K. Harada. *Humanoid Robot*. Ohmsha, 2005.
- [Lev86] S. E. Levinson. Continuously variable duration hidden Markov models for automatic speech recognition. *Computer Speech and Language*, 1:29–45, 1986.
- [Lib04] B. Libet. *Mind Time*. Harvard University Press, 2004.
- [LMZ98] D. A. Langan, J. W. Modestino, and J. Zhang. Cluster validation for unsupervised stochastic model-based image segmentation. *IEEE Trans. on Image Processing*, 7(2):180–195, 1998.
- [LWS02] Y. Li, T. Wang, and H.-Y. Shum. Motion texture: A two-level statistical model for character motion synthesis. *Proc. SIGGRAPH*, pages 465–472, 2002.
- [Mas98] Y. Masunaga. Re-examination of allen’s interval-based temporal logic. *IPSJ*, 39(4):846–856, 1998.
- [Mat96] F. Matsuda. *Psychological Time*. Kitaoji Shobou, 1996.
- [ME02] D. Moore and I. Essa. Recognizing multitasked activities from video using stochastic context-free grammar. *Proc. National Conference on Artificial intelligence*, pages 770–776, 2002.
- [MM76] H. McGurk and J. MacDonald. Hearing lips and seeing voices. *Nature*, pages 746–748, 1976.
- [MM98a] M. Morita and S. Murakami. Recognition of sequential patterns by nonmonotone neural networks. *IEICE*, J81-D-II(7):1679–1688, 1998.
- [MM98b] M. C. Mozer and D. Miller. Parsing the stream of time: The value of event-based segmentation in a complex real-world control problem. *Lecture Notes in Artificial Intelligence. Springer-Verlag.*, 1387:370–388, 1998.

- [MMdB⁺91] O. Maler, Z. Manna, A. Pnueli (J. W. de Bakker, C. Huizing, W. P. de Roever, and G. Rozenberg). *From Timed to Hybrid Systems*, pages 447–484. Real-Time: Theory in Practice. Springer-Verlag, 1991.
- [MMM69] J. McCarthy, P. J. Hayes (B. Meltzer, and D. Michie). *Some Philosophical Problems from the Standpoint of Artificial Intelligence*, pages 463–502. Machine Intelligence 4. Edinburgh University Press, 1969.
- [MMM02] M. Morita, K. Matsuzawa, and S. Morokami. A model of context-dependent association using selective desensitization of nonmonotonic neural elements. *IEICE*, J85-D-II(10):1602–1612, 2002.
- [MMMS04] M. Morita, K. Murata, S. Morokami, and A. Suemitsu. Information integration ability of layered neural networks with the selective desensitization method. *IEICE*, J87-D-II(12):2242–2252, 2004.
- [Mor96] M. Morita. Memory and learning of sequential patterns by non-monotone neural networks. *Neural Networks*, 9(8):1477–1489, 1996.
- [Mur98] K. P. Murphy. Switching kalman filter. *Technical report, U. C. Berkeley*, 1998.
- [Mur02] K. P. Murphy. Hidden semi-Markov models (HSMMs). *Informal Notes*, 2002.
- [NA94] S. A. Niyogi and E. H. Adelson. Analyzing and recognizing walking figures in xyt. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 469–474, 1994.
- [Nak00] S. Nakagawa. A survey on automatic speech recognition. *IEICE*, J83-D-II(2):433–457, 2000.
- [Nak01] M. Nakamura. Dance notation. *Art Research (Ritsumeikan ARC)*, 2:89–100, 2001.
- [NBVW03] N. T. Nguyen, H. H. Bui, S. Venkatesh, and G. West. Recognising and monitoring high-level behaviours in complex spatial environments. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 620–625, 2003.

- [NDKN02] C. Nagaoka, M. Draguna, M. Komori, and T. Nakamura. The influence of switching pauses on interpersonal perception in dialogues. *Human Interface*, pages 1431–1434, 2002.
- [NKHM05] M. Nishiyama, H. Kawashima, T. Hirayama, and T. Matsuyama. Facial expression representation based on timing structures in faces. *IEEE International Workshop on Analysis and Modeling of Faces and Gestures (W. Zhao et al. (Eds.): AMFG 2005, LNCS 3723)*, pages 140–154, 2005.
- [NKN98] S. Nishio, K. Koyama, and T. Nakamura. Temporal differences in eye and mouth movements classifying facial expressions of smiles. *Proc. IEEE Int. Conference on Automatic Face and Gesture Recognition*, pages 206–211, 1998.
- [NLP⁺02] A. V. Nefian, L. Liang, X. Pi, X. Liu, and K. Murphy. Dynamic Bayesian networks for audio-visual speech recognition. *EURASIP Journal on Applied Signal Processing*, 2002(11):1–15, 2002.
- [NMN97] T. Nishimura, T. Mukai, and S. Nozaki. Spotting recognition of gestures performed by people from a single time-varying image using low-resolution features. *IEICE*, J80-D-II(6):1563–1570, 1997.
- [NNYI04] S. Nakaoka, A. Nakazawa, K. Yokoi, and K. Ikeuchi. Leg motion primitives for a dancing humanoid robot. *Proc. IEEE Int. Conference on Robotics and Automation*, pages 610–615, 2004.
- [ODK96] M. Ostendorf, V. Digalakis, and O. A. Kimball. From HMMs to segment models: A unified view of stochastic modeling for speech recognition. *IEEE Trans. Speech and Audio Process*, 4(5):360–378, 1996.
- [Oka95] M. Okada. A hierarchy of macrodynamical equations for associative memory. *Neural Networks*, 8(6):833–838, 1995.
- [OKYI96] Y. Okato, K. Kato, M. Yamamoto, and S. Itahashi. Prosodic pattern recognition for insertion of interjectory responses and its evaluation. *IPSJ SIG-SLP (Japanese)*, pages 33–38, 1996.
- [OM95] P. V. Overschee and B. D. Moor. A unifying theorem for three subspace system identification algorithms. *Automata*, 31(12):1853–1864, 1995.

-
- [ONN03] M. Okada, D. Nakamura, and Y. Nakamura. On-line and hierarchical design methods of dynamics based information processing system. *Proc. IEEE/RSJ Int. Conference on Intelligent Robots and Systems*, pages 954–959, 2003.
- [OOK⁺05] T. Ogata, H. Ohba, K. Komatani, J. Tani, and H. G. Okuno. Extracting multi-modal dynamics of objects using rnnpb. *Journal of Robotics and Mechatronics*, 17(6):681–688, 2005.
- [OTN02] M. Okada, K. Tatani, and Y. Nakamura. Polynomial design of the nonlinear dynamics for the brain-like information processing of whole body motion. *Proc. IEEE Int. Conference on Robotics and Automation*, 2002.
- [PB97] C. Pinhanez and A. Bobick. Human action detection using pnf propagation of temporal constraints. *M.I.T Media Lab. Technical Report.*, pages 1–9, 1997.
- [PH95] D. K. Panjwani and G. Healey. Markov random field models for unsupervised segmentation of textured color images. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 17(10):939–954, 1995.
- [PMB97] C. S. Pinhanez, K. Mase, and A. F. Bobick. Interval scripts: A design paradigm for story-based interactive systems. *Proc. CHI*, pages 287–294, 1997.
- [PN94] R. Polana and R. Nelson. Low level recognition of human motion (or how to get your man without finding his body parts). *Proc. IEEE Workshop on Motion of Non-Rigid and Articulated Objects*, pages 77–82, 1994.
- [Pop85] E. Poppel. *Grenzen des Bewusstseins*. Deutsche Verlags-Anstalt GmbH, Stuttgart, 1985.
- [PRCM99] V. Pavlovic, J. M. Rehg, T. Cham, and K. P. Murphy. A dynamic bayesian network approach to figure tracking using learned dynamic models. *Proc. IEEE Int. Conference on Computer Vision*, pages 94–101, 1999.

- [PRM00] V. Pavlovic, J. M. Rehg, and J. MacCormick. Learning switching linear models of human motion. *Proc. Neural Information Processing Systems*, 2000.
- [PS99] P. Pfeifer and C. Scheier. *Understanding Intelligence*. The MIT Press, 1999.
- [Rab89] L. R. Rabiner. A tutorial on hidden markov models and selected applications inspeech recognition. *Proc. IEEE*, pages 257–286, 1989.
- [Rao97] R. Rao. Dynamic appearance-based recognition. *Proc. Int. Conference on Computer Vision and Pattern Recognition*, pages 540–546, 1997.
- [Ras80] R. F. Rashid. Toward a system for the interpretation of moving light display. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 2(6):574–581, 1980.
- [RB99] J. Rittscher and A. Blake. Classification of human body motion. *Proc. IEEE Int. Conference on Computer Vision*, pages 634–639, 1999.
- [RBL04] J. Roll, A. Bemporad, and L. Ljung. Identification of piecewise affine systems via mixed-integer programming. *Automatica*, 40:37–50, 2004.
- [RN02] S. Russell and P. Norvig. *Artificial Intelligence: A Modern Approach (2nd edition)*. Prentice Hall, 2002.
- [Rob94] A. J. Robinson. An application of recurrent nets to phone probability estimation. *IEEE Trans. Neural Networks*, 5(2):298–305, 1994.
- [RST96] D. Ron, Y. Singer, and N. Tishby. The power of amnesia: Learning probabilistic automata with variable memory length. *Machine Learning*, 25(2-3):117–149, 1996.
- [SCT03] K. L. Schmidt, J. F. Cohn, and Y.-L. Tian. Signal characteristics of spontaneous facial expressions: Automatic movement in solitary and social smiles. *Biological Psychology*, 65:49–66, 2003.
- [Sea86] J. R. Searle. *Speech Acts, an Essay in the Philosophy of Language (Cambridge Univ. Press 1969)*. Keisou Shobou, 1986.

-
- [SEL03] M. B. Stegmann, B. K. Ersboll, and R. Larsen. FAME - a flexible appearance modelling environment. *Informatics and Mathematical Modelling*, 2003.
- [SG02] M. B. Stegmann and D. D. Gomez. A brief introduction to statistical shape analysis. *Informatics and Mathematical Modelling*, 2002.
- [Shi05] E. Shirberg. Spontaneous speech: How people really talk, and why engineers should care. *Proc. EUROSPEECH*, 2005.
- [SHST00] H. Segawa, N. Hiraki, H. Shioya, and T. Totsuka. Constraint-conscious smoothing framework for the recovery of 3D articulated motion from image sequences. *Proc. IEEE Int. Conference on Automatic Face and Gesture Recognition*, pages 476–482, 2000.
- [SP95] T. Starner and A. Pentland. Visual recognition of american sign language using hidden markov models. *Proc. Int. Workshop on Automatic Face and Gesture Recognition*, pages 189–194, 1995.
- [SRC⁺00] A. Stolcke, K. Ries, N. Coccaro, E. Shriberg, R. Bates, D. Jurafsky, P. Taylor, R. Martin, M. Meteer, and C. V. Ess-Dykema. Dialogue act modeling for automatic tagging and recognition of conversational speech. *Computational Linguistics*, 26(3):339–371, 2000.
- [TKC01] Y. Tian, T. Kanade, and J. F. Cohn. Recognizing action units for facial expression analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(2):97–115, 2001.
- [TKT⁺00] I. Tomonori, N. Kawakatsu, M. Tanabe, R. Nakajima, and Y. Hayashi. Timed event pattern matching — formalism, machines and applications —. *Computer Software*, 17(5):61–79, 2000.
- [TSKO94] K. Takahashi, S. Seki, H. Kojima, and R. Oka. Spotting recognition of human gestures from time-varying images. *IEICE, J77-D-II(8)*:1552–1561, 1994.
- [Tsu87] N. Tsukahara. *Brain plasticity and memory*. Kinokuniya Shoten, 1987.
- [Tur36] A. M. Turing. On computable numbers, with an application to the entscheidungsproblem. *Proc. London Math. Soc. Ser. 2*, 42(2198):230–265, 1936.

- [Tur50] A. M. Turing. Computing machinery and intelligence. *A Quarterly Review of Psychology and Philosophy*, LIX(236):433–460, 1950.
- [UT00] T. Uchiyama and H. Takahashi. Speech recognition using recurrent neural prediction model. *IEICE*, J83-D-II(2):776–783, 2000.
- [WBC97] A. D. Wilson, A. F. Bobick, and J. Cassell. Temporal classification of natural gesture with application to video coding. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 948–954, 1997.
- [Wie61] N. Wiener. *Cybernetics (2nd edition)*. MIT press, 1961.
- [WM00] T. Wada and T. Matsuyama. Multiobject behavior recognition by event driven selective attention method. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 22(8):873–887, 2000.
- [WYH05] K. Wakiyama, A. Yoshitaka, and T. Hirashima. Information recommendation by collaborative filtering incorporated with gaze detection. *Proc. Workshop on Interactive Systems and Software (WISS)*, 2005.
- [YK02] T. Yamamoto and Y. Kuniyoshi. Stability and controllability in a rising motion: A global dynamics approach. *Proc. IEEE/RSJ International Conference on Intelligent Robots and Systems*, pages 2467–2472, 2002.
- [YKM06] A. Yamaguchi, H. Kawashima, and T. Matsuyama. Event-driven control and its representation for multi-dof robot to learn motion. *The 24th of Annual Conference of the Robot Society of Japan*, page 2D13, 2006.
- [YOI92] J. Yamato, J. Ohya, and K. Ishii. Recognizing human action in time-sequential images using hidden Markov model. *Proc. Int. Conference on Computer Vision and Pattern Recognition*, pages 379–385, 1992.
- [ZG03] S. Zhong and J. Ghosh. A unified framework for model-based clustering. *Journal of Machine Learning Research*, 4(11):1001–1037, 2003.
- [ZM95] Y. Zhang and A. K. Mackworth. Constraint nets: A semantic model for hybrid dynamic systems. *Theoretical Computer Science*, 138(1):211–239, 1995.

- [ZMI01] L. Zelnik-Manor and M. Irani. Event-based analysis of video. *Proc. IEEE Conference on Computer Vision and Pattern Recognition*, pages 123–130, 2001.